

# SEQUENCE LISTING

<110> Boles, T. Christian  
Weir, Lawrence  
Stone, Benjamin B

<120> Detection of Non-Viral Organisms with SRP RNA

<130> EXT-072C2

<150> US 60/090,063  
<151> 1998-06-19

<150> US 10/024,944  
<151> 2001-12-19

<150> US 09/336,609  
<151> 1999-06-18

<160> 27

<170> PatentIn version 3.1

<210> 1  
<211> 21  
<212> RNA  
<213> Escherichia coli

<400> 1  
gucagguccg gaaggaagca g 21

<210> 2  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Complementary sequence of conserved E. coli 4.5S RNA region nucleotide 44-65

<400> 2  
gctgcttcct tccggacctg ac 22

<210> 3  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: shortened probe derived from complementary sequence of E. coli 4.5S RNA region 44-65

<400> 3

gctgcttcct tccggacctg a 21

<210> 4  
<211> 12  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:a shorter probe derived from c  
omplementary sequence of E. coli 4.5S RNA region 44-65

<400> 4  
gctgcttcct tc 12

<210> 5  
<211> 14  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: a short probe derived from co  
mplementary sequence of E. coli 4.5S RNA region 44-65

<400> 5  
gctgcttcct tccg 14

<210> 6  
<211> 14  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: a short probe derived from th  
e complementary sequence of E. coli 4.5S RNA region 44-65

<400> 6  
gacctgacct ggta 14

<210> 7  
<211> 41  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:adaptor probe

<400> 7  
gctgcttcct tccggacctg agtgaatacg ttccccgggc t 41

<210> 8  
<211> 41  
<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:adaptor probe

<400> 8

gctgcttcct tccggacctg acaaaaacga taaaccaacc a 41

<210> 9

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:adaptor probe

<400> 9

ggcacacgcg tcatctgc 18

<210> 10

<211> 29

<212> RNA

<213> Escherichia coli

<400> 10

uuuaccaggu cagguccgga aggaagcag 29

<210> 11

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:complementary sequence of conserved E. coli 4.5S RNA region nucleotides 36-65

<400> 11

gctgcttcct tccggacctg acctggtaaa 30

<210> 12

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: acrydite capture probe 13-III-ac

<400> 12

ttttttttta ggcccgggaa cgtattcac 29

<210> 13

<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:fluorescent sandwich probe 2F

<400> 13  
ggcacacgcg tcattctgc 18

<210> 14  
<211> 12  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:alkaline phosphatase conjugate  
d reporter probe RP-2

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (2)..(2)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (3)..(3)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> n is um

<220>

<221> misc\_feature  
<222> (7)..(7)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (10)..(10)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (11)..(11)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> n is cm

<400> 14  
nnnnnnnnnn nn

12

<210> 15  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-1

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (8)..(8)

<223> n is gm

<220>

<221> misc\_feature

<222> (9)..(9)

<223> n is gm

<220>

<221> misc\_feature

<222> (10)..(10)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature

<222> (11)..(11)

<223> n is cm

<220>

<221> misc\_feature

<222> (12)..(12)

<223> n is cm

<220>

<221> misc\_feature

<222> (13)..(13)

<223> n is um

<220>

<221> misc\_feature'

<222> (14)..(14)

<223> n is gm

<220>

<221> misc\_feature

<222> (15)..(15)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature

<222> (16)..(16)

<223> n is cm

<220>

<221> misc\_feature

<222> (17)..(17)

<223> n is cm

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is gm

<400> 15  
tttttttnnnn nnnnnnnnn

19

<210> 16  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-2

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (10)..(10)  
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (11)..(11)  
<223> n is cm

<220>  
<221> misc\_feature

<222> (12)..(12)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (13)..(13)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (14)..(14)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (16)..(16)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (17)..(17)  
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is gm

<400> 16  
ttttttnnnn nnnnnnnnn

19

<210> 17  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:gel-immobilized acrydite-modif



ied capture probe CP-3

<220>

<221> misc\_feature

<222> (7)..(7)

<223> n is cm

<220>

<221> misc\_feature

<222> (8)..(8)

<223> n is gm

<220>

<221> misc\_feature

<222> (9)..(9)

<223> n is gm

<220>

<221> misc\_feature

<222> (10)..(10)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature

<222> (11)..(11)

<223> n is cm

<220>

<221> misc\_feature

<222> (12)..(12)

<223> n is cm

<220>

<221> misc\_feature

<222> (13)..(13)

<223> nis um

<220>

<221> misc\_feature

<222> (14)..(14)

<223> n is gm

<220>

<221> misc\_feature

<222> (15)..(15)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature  
<222> (16)..(16)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (17)..(17)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is gm

<400> 17  
ttttttnnnn nnnnnnnnn

19

<210> 18  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-4

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (10)..(10)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature

<222> (11)..(11)

<223> n is cm

<220>

<221> misc\_feature

<222> (12)..(12)

<223> n is cm

<220>

<221> misc\_feature

<222> (13)..(13)

<223> n is um

<220>

<221> misc\_feature

<222> (14)..(14)

<223> n is gm

<220>

<221> misc\_feature

<222> (15)..(15)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature

<222> (16)..(16)

<223> n is cm

<220>

<221> misc\_feature

<222> (17)..(17)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature

<222> (18)..(18)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc\_feature

<222> (19)..(19)

<223> n is gm

<400> 18  
ttttttnnnn nnnnnnnnn

19

<210> 19  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-5

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (10)..(10)  
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (11)..(11)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (13)..(13)  
<223> n is um

<220>  
<221> misc\_feature

<222> (14)..(14)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> n is 2'-O-mthyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (16)..(16)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (17)..(17)  
<223> n is 2'-O-mthyl adenosine ribonucleotide

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is gm

<400> 19  
ttttttnnnn nnnnnnnnn

19

<210> 20  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:5S probe (66nf)

<400> 20  
ccacactacc atcggcgct

19

<210> 21  
<211> 12  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: nucleic acid probe

<400> 21  
 gctgcttccg tc 12

<210> 22  
 <211> 13  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 22  
 cggacctgac ctg 13

<210> 23  
 <211> 13  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 23  
 aggaccugac aug 13

<210> 24  
 <211> 13  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 24  
 cggaccugac cag 13

<210> 25  
 <211> 13  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 25  
 cggaccugac aag 13

<210> 26  
 <211> 13  
 <212> RNA  
 <213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: nucleic acid probe  
  
<400> 26  
cggaucugac acg

13

<210> 27  
<211> 12  
<212> RNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:alkaline phosphatase-cojugated  
reporter probe RP-1

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (2)..(2)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (3)..(3)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> n is gm

<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> n is cm

<220>  
<221> misc\_feature  
<222> (10)..(10)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (11)..(11)  
<223> n is um

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> n is cm

<400> 27  
nnnnnnnnnn nn

12